

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	scanner\$1 same digitizer\$1 same channels	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 06:36
L2	510	digitizer.clm.	US-PGPUB	OR	OFF	2005/11/14 06:36
L3	1789	row.clm. same pixel\$1.clm.	US-PGPUB	OR	OFF	2005/11/14 06:36
L4	0	l1 and l2 and l3	US-PGPUB	OR	ON	2005/11/14 06:37
L5	104	converter.clm. same analog.clm. same color.clm.	US-PGPUB	OR	ON	2005/11/14 06:37
L6	0	l2 and l3 and l5	US-PGPUB	OR	ON	2005/11/14 06:37
L7	75406	channel\$1.clm.	US-PGPUB	OR	ON	2005/11/14 06:37
L8	0	l2 and l3 and l7	US-PGPUB	OR	ON	2005/11/14 06:37
L9	2	l2 and l3	US-PGPUB	OR	ON	2005/11/14 06:37
L10	68	l2 and l7	US-PGPUB	OR	ON	2005/11/14 06:37
L11	70	l9 or l10	US-PGPUB	OR	ON	2005/11/14 06:37
L12	3	l11 and "235"/\$.cls.	US-PGPUB	OR	ON	2005/11/14 06:38
L13	6	l11 and color.clm.	US-PGPUB	OR	ON	2005/11/14 06:38
L14	1	l13 and "235"/\$.cls.	US-PGPUB	OR	ON	2005/11/14 06:41
L15	2	l13 and scanner.clm.	US-PGPUB	OR	ON	2005/11/14 06:41